



Attorney Docket No. 82505YY

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent application of:

Duane Zugel et al.

Confirmation No.: 3026

File Date: March 2, 2004,148

Group Art Unit: 2859

Serial No. 10/790,148

Examiner SMITH, Richard A.

Filed: March 2, 2004

For: SPIRIT LEVEL

RESPONSE TO OFFICE ACTION

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In response to the Office Action of November 15, 2004, please reexamine this application. When this application was filed, a Preliminary Amendment was included in which all of the claims in the case, except for Claim 1, were canceled, and Claim 1 was amended. As Amended, Claim 1 now requires a second bubble vial mounted at the end of the level. None of the references relied upon by the Examiner show this feature.

Accordingly, reconsideration of the rejections and reexamination of this application is respectfully requested.

Respectfully submitted,  
**NATH & ASSOCIATES PLLC**

By:

Harold L. Novick  
Registration No. 26,011  
Customer No. 20529

Date: February 15, 2005  
**NATH & ASSOCIATES PLLC**  
1030 15<sup>th</sup> Street, NW - 6<sup>th</sup> Floor  
Washington, D.C. 20005  
HLN/bp